

MEDICATIONS NOT TO BE TAKEN THE DAY OF THE NUCLEAR TEST
(If the medications are taken in the evening then hold 24 hours prior to the test)

Some medications (as marked below) are to be held the day before and the day of the test.

Beta Blockers

Acebutolol (Sectral))
Atenolol (Tenormin) (Do Not take the day before and the day of the test)
Betapace (Sotalol HCL)
Kerlone (Betaxolol)
Bisoprolol (Zebeta)
Blocadren (Timolol)
Brevibloc (Esmolol HCL)
Cartrol (Carteolol)
Coreg (Carvedilol)
Corgard (Nadolol)
Inderal LA (Propranolol HCL)
Levatol (Penbutolol Sulfate)
Lopressor (Metoprolol)
Nadolol (Corgard)
Normodyne (Labetalol HCL) (Trandate)
Pindolol (Visken)
Propranolol (Inderal) (InnoPran)
Toprol XL (Metoprolol Succinate)
Trandate (Labetalol)
Visken (Pindolol)

Beta Blocker Combo's

Atenolol/Chlorthalidone (Tenoretic) (Do Not take the day before and the day of the test)
Bisoprolol/Hydrochlorothiazide (Ziac)
Corzide (Nadolol/Bendroflumethiazide)
Hydrochlorothiazide (HCTZ)
Inderide (Propranolol HCL)
Inderide LA (Propranolol HCL SA)
Lopressor HCT (Metoprolol Tartrate)

Timolide 10-25 (Timolol/HCTZ)

Calcium Channel Blockers

Diltiazem (Cardizem)
Verapamil (Calan) (Isoptin)
Caduet

Theophylline Derivates

Slo-Bid Gyrocaps
Slo-Phyllin
Slo-Phyllin 125
Theo-24
Theo-Dur
Theolair
Uniphyl
Theophylline

Common "Over-the-counter Medications"

Coryban-D
Dristan
Excedrin
Midol
Neo-Synepherine
Triaminicin
Vanquish